In re Appl. No. 9/743,849 Confirmation No. 8746

Page 11, please amend the first paragraph beginning on line 5 as follows:

Although Fig. 1 shows one embodiment of a resin coated steel sheet according to the present invention, wherein both surfaces of the steel sheet are coated with a resin layer 3, respectively. A colored layer 2 and the resin layer 3 may be formed on only one surface of a resin coated steel sheet according to the present invention. In such a case, a galvanized alloy layer is provided at a respective surface of a steel sheet as shown in Fig. 3. The colored layer 2 and the resincoated layer 3 are formed on one surface of both surfaces.

IN THE CLAIMS

claims:

Cancel claims 1-8 and enter the following new

9. (New) A resin coated steel sheet comprising a galvanized alloy steel sheet and an organic resin layer formed on at least one surface of said galvanized steel sheet;

wherein a galvanized alloy plating is formed on at least one surface of a steel sheet and the sheet is treated with an anodic/cathodic treatment in acid solution, wherein the composite is the same as that in

Ble

the plating bath or the composite includes at least one ion selected from the group consisting of Zn ion, Co ion, Ni ion, Mo ion, Fe ion, Sn ion, Cu ion, nitride, lon, sulfate ion, phosphate ion, and ammonium ion, wherein the at least one surface of the galvanized alloy steel sheet is blackened to have an L-value equal to or less than 30.

(New) A resin coated steel sheet comprising a galvanized alloy steel sheet and an organic resin layer formed on at least one surface of the galvanized alloy steel sheet, there a galvanized alloy plating is formed on at least one surface of a steel sheet and treated by an anodic/cathodic treatment in acid solution, wherein the composite is the same as that in the plating bath or the composite includes at least one ion selected/from the group consisting of Zn ion, Co ion, Ni ion, Mo/ion, Fe ion, Sn ion, Cu ion, nitride ion, sulfate /ion, phosphate ion, and ammonium ion, at least one syrface of the galvanized alloy steel sheet is blackened to have an L-value equal to or less than 30, and said organic resin layer includes at least one of ϵ olloidal silica and an agent providing a lubricant function at a surface of the organic resin layer.

11. (New) The resin coated steel sheet

C C

according to claim 9 wherein the resin is selected from the group consisting of urethane resins, polyester resins, acrylic resins, and olefin resins.

- 12. (New) The resin coated steel sheet according to claim 10 wherein the resin is selected from the group consisting of urethane resins, polyester resins, acrylic resins, and olefin resins.
- 13. (New) The resin coated steel sheet according to claim 9 wherein the resin is a urethane resin having a pencil hardness of individual resin or H to 6H, a tensile strength of 300 to 500 kg/cm² and an extension ratio of 250 to 450%.
- 14. (New) The resin coated steel sheet according to claim 10 wherein the resin is a urethane resin having a pencil hardness of individual resin or H to 6H, a tensile strength of 300 to 500 kg/cm² and an extension ratio of 250 to 450%.
- 15. (New) The resin coated steel sheet according to claim 10 wherein the organic resin layer includes colloidal silica of equal to or less than 50 wt%, polytetrafluoroethylene, and optionally 20 wt% or less of at least one of polytetrafluoroethylene or polyethylene wax.
 - 16. (New) The resin coated steel sheet

according to claim 9 wherein the organic resin layer includes at least one member of the group consisting of 0.01 to 3 wt% anti-rust agent, 0.05 to 1 wt% silane coupling agent, and 0.1 to 3.0 wt% black pigment.

17. (New) The resin coated steel sheet according to claim 10 wherein the organic resin layer includes at least one member of the group consisting of 0.01 to 3 wt% anti-rust agent, 0.05 to 1 wt% silane coupling agent, and 0.1 to 3.0 wt% black pigment.

18. (New) A patrone cap made of a resin coated steel sheet according to claim 9.

19. (New) A patrone cap made of a resin coated steel sheet according to claim 10.

- 20. (New) A patrone body made of a resin coated steel sheet according to claim 9.
- 21. (New) A patrone body made of a resin coated steel sheet according to claim 10.